









For more information click on product image	Chipset, CPU	Network	Memory Storage	Dimensions WxDxH / Weight Noise (idle) Power / Consumpt.(idle)	Warranty Certificate	External I/O Ports	Test Status TCP-Throughput (Red → Green)				
							pfSense v2.4.3	OPNsense v18.1.6	IPFire v2.19.20	RouterOS v6.x	ClearOS v7.5
 SBR234-FW	Intel Celeron 14nm dual J3355 2x2.0–2.5GHz	3x PCIe GBit Ethernet 2x Intel 82576 + 1x RTL8111H Option 5x PCIe GBit 4x Qualcomm AR8131 + 1x RTL8111H	RAM: 2GB DDR3 Option: 4GB, 8GB Storage (2.5" HDD): 120GB SATA3 SSD Option: Internal USB-Flash 16GB, 64GB	311x241x65mm 2.5 kg noiseless Ext. 12V 5A / 14w	36 months CE, FCC, RoHS, WEEE	3–7x RJ45 2x PS/2 1x VGA 1x HDMI 3x USB3 2x USB2 1x COM	compatible 710 MBit	compatible 710 MBit	compatible 580 MBit	compatible 820 MBit	compatible 650 MBit
 SBR234-1U-FW	Option CPU Upgrade J3455 Quad 4x1.5–2.2GHz Option CPU Upgrade J4105 Quad 4x1.5–2.4GHz	3x PCIe GBit Ethernet 2x Intel 82576 + 1x RTL8111H Option 5x PCIe GBit 4x Intel 82580 + 1x RTL8111H Option 7x PCIe GBit 6x Intel 82571EB + 1x RTL8111H	483x250x44mm 19" 1U Rack 5.6 kg ~ 27 db Int. 250w / 17w								
 SBR701-FW	Intel H110 LGA1151 Intel Skylake G4400 2x 3.3 GHz	3x PCIe GBit Ethernet 2x Intel 82576 + 1x RTL8111H Option 5x PCIe GBit 4x Intel 82580 + 1x RTL8111H Option 7x PCIe GBit 6x Intel 82571EB + 1x RTL8111H Option 10Gbit 2x intel 10Gbit X550-T2 + 1x RTL8111H	RAM: 2GB DDR3 Option: 4GB, 8GB, 16GB Storage (2.5" HDD): 120GB SATA3 SSD Option: Internal USB-Flash 16GB, 64GB	311x241x65mm 2.6 kg, ~ 25 db Ext. 12V 5A / 19w	36 months CE, FCC, RoHS, WEEE	3–7x RJ45 1x VGA 1x HDMI 2x PS/2 2x USB3 2x USB2	compatible 10Gbit X550-T2, X540-T2 7.43 GBit	compatible X550-T2, X540-T2 6.97 GBit	compatible X540-T2 5.20 GBit	compatible X540-T2 8.15 GBit	compatible 10Gbit X550-T2, X540-T2 6.42 GBit
 SBR701-1U-FW	Option CPU Upgrade LGA1151 CPU Pentium, i3, i5, i7										
 SBR4LAN2 2x devices	2x Intel Celeron quad J1900 4x 2.0–2.42 GHz	2x 4x Intel 82580	RAM: 2GB DDR3 Option: 4GB, 8GB Storage: 16GB MSATA Option: MSATA 32GB, 64GB	483x250x44mm 19" 1U Rack 2.5 kg fanless Ext. 12V 2A / 9w	36 months CE, FCC, RoHS, WEEE	4x RJ-45 1x VGA 1x USB3 1x USB2 1x COM (RJ45)	compatible 780 MBit	compatible 780 MBit	compatible 650 MBit	compatible 820 MBit	compatible 650 MBit
 SBR711-FW	Intel H110 LGA1151 Intel Kaby Lake G4560 2x 3.5 GHz	3x Intel PCIe GBit Ethernet 2x 82576 + 1x i219V Option 5x PCIe GBit 4x Intel 82580 + 1x i219V Option 7x PCIe GBit 6x Intel 82571EB + 1x i219V Option 10Gbit 2x intel 10Gbit X550-T2 + 1x i219V	RAM: 4GB DDR4 Option: 8GB, 16GB, 32GB Storage (2.5" HDD): 120GB SATA3 SSD Option 19": 2x 120GB SSD Option: Internal USB-Flash 16GB, 64GB	311x241x65mm 2.5 kg, ~ 25 db Ext. 12V 5A / 19w	36 months CE, FCC, RoHS, WEEE	3–7x RJ45 1x DVI 1x HDMI 1x PS/2 2x USB3 4x USB2	compatible 10Gbit X550-T2, X540-T2 7.65 GBit	compatible 10Gbit X550-T2, X540-T2 7.18 GBit	compatible X540-T2 5.17 GBit	compatible X540-T2 8.23 GBit	compatible 10Gbit X550-T2, X540-T2 6.49 GBit
 SBR711-1U-FW	Option CPU Upgrade LGA1151 CPU Pentium, i3, i5, i7										
 SBR706-1U-FW	Intel C222 quad Xeon E3-1220V3 4x3.1 GHz LSI MegaRAID	6x Intel PCIe GBit Ethernet 4x 82580 + 2x i210AT Option 10Gbit 2x intel 10Gbit X550-T2 + 1x i210V Option: Management LAN (PMI, iKVM)	RAM: 4GB DDR3 ECC Option: 4GB, 8GB, 16GB Storage (2.5" HDD): 120GB SATA3 SSD, 16GB internal USB Option: 2x 120GB SSD Option: Internal USB-Flash 64GB, 128GB	483x250x44mm 19" 1U Rack 6.5 kg, ~ 35 db Int. 250w / 35w	36 months CE, FCC, RoHS, WEEE	6x RJ45 1x PS/2 1x DVI 2x USB3 2x USB2	compatible 10Gbit X550-T2, X540-T2 7.86 GBit	compatible 10Gbit X550-T2, X540-T2 7.43 GBit	compatible X540-T2 5.22 GBit	compatible X540-T2 8.68 GBit	compatible 10Gbit X550-T2, X540-T2 6.62 GBit

Sylbek Firewall - Desktop 311x241x65mm



© www.sylbek.eu You may use this graphic for any purpose, if you leave the copyright in place.

Sylbek Firewall Hardware Platform

Prices do not include VAT and shipping cost

Product Name	1 pc	3 pcs	10 pcs
SBT110F	399 €	390 € / 2,3 %	ask
SBR234-FW	325 €	299 € / 8,7 %	ask
SBR234-1U-FW	436 €	412 € / 5,8 %	ask
SBR701-FW	439 €	412 € / 6,6 %	ask
SBR701-1U-FW	549 €	525 € / 4,6 %	ask
SBR4LAN2	799 €	729 € / 9,6 %	ask
SBR711-FW	459 €	422 € / 8,8 %	ask
SBR711-1U-FW	559 €	522 € / 7,1 %	ask
SBR706-1U-FW	999 €	935 € / 6,8 %	ask

Sylbek Firewall Platform - 19" 1U 483x250x44mm



© www.sylbek.eu You may use this graphic for any purpose, if you leave the copyright in place.

🇪🇺 The benefits of Sylbek Firewall Hardware

- Powerful firewall hardware with current motherboard/CPU and minimal power consumption
- Selected hardware, with proven components for compatibility and stability with many Linux and BSD operating systems
- Modular design, easy to replace components, such as usual DDR3/DDR4 memory, SATA interfaces, PCIe network cards
- Hardware configurator for: RAM, SSD hard disk, CPU, network cards with prices and availability also for components
- On stock hardware, delivery in 1-2 days, delivery in large quantities
- 3-year bring-in warranty, with repair/replacement within 1-3 days

🇩🇪 Die Vorteile von Sylbek Firewall Hardware

- Leistungsstarke Firewall Hardware mit aktuellen Mainboard/CPU und minimalen Energieverbrauch
- Ausgesuchte Hardware, mit bewährten Komponenten wegen Kompatibilität/Stabilität mit vielen Linux und BSD Betriebssystemen
- Modularer Aufbau mit leicht austauschbaren Komponenten, wie Standard DDR3/DDR4 Speicher, SATA Schnittstelle, PCIe Netzwerkkarten
- Hardware Konfigurator für: RAM, SSD Festplatte, CPU, Netzwerkkarten mit Preisen und Verfügbarkeit auch für Komponenten
- Lagerware, Lieferung in 1-2 Tagen, Lieferfähigkeit in grossen Stückzahlen
- 3 Jahre Bring in Garantie, mit Reparatur/Austausch innerhalb von 1-3 Tagen